

COMPACTORS



SELF-CONTAINED COMPACTOR

Model 15yd

Model 20yd

Model 25yd

Model 30yd

Model 35yd

*HEAVY-DUTY COMPACTOR IDEAL
FOR SUPERMARKETS, RETAILERS,
HOSPITALS, SCHOOLS, WAREHOUSES,
INDUSTRIAL & MORE*

CONTAINERS FOR A MILLION USES

- Designed with the customer in mind
- Can be customized to satisfy special needs
- Quick delivery – many units already in stock



11900 E. Locke Rd. Lockeford, CA 95237

Office 209.367.8810 / Fax 209.367.8629

mwecans.com

DURABLE, RELIABLE
AND EASY TO USE

A heavy-duty self-contained compactor built for maximum capacity on various size skids, this unit is well suited for a variety of uses.


With a rigid 1/2 inch floor plate and our special nylon wear guides, McLaughlin compactors come with a fully sealed door and simple latching mechanism that creates a full seal.

All hinges are adjustable via an easy turn of the ratchet, allowing for maximum leak protection.

The versatility of the large number of options available from McLaughlin. These can include special materials, special sizes, extra options and unique configurations.

All McLaughlin containers are manufactured with particular attention to detail in order to meet our superior quality standards. Quality materials and experienced and skilled work force are apparent in every McLaughlin compactor.

It's this attention to detail that sets our products apart from the competition.




SLIDING HINGE

The sliding hinge gives the operator the flexibility to adjust the door from the hinge side. With a few turns of the ratchet, the hinge easily draws the door closer or farther away from the body. This feature offers the flexibility of adjustments over the life of the container. The sliding hinge also promotes longer seal life.



LOCKING DEVICE

The McLaughlin ratchet-powered tilt and pull locking device lifts and draws the door into a perfect tight seal every time. The vertical position of the ratchet minimizes ratchet rotation, and the "cozy latch" helps hold the door closed. McLaughlin has updated this tried and true design.



CLEANING

Our unique charge box design provides for easy maintenance and efficient cleaning minimizing the amount of material that can collect behind the rams and automatically sweeping any residual debris back into the container.



SIDE WALLS

1/4 inch compactor side walls, heavy structural reinforcement to the charge chamber and the exclusive McLaughlin Ram Guidance all serve to assure the longevity of this unit.

MODEL
35/30/25/20/15SC
SELF-CONTAINED WITH
2 YARD HEAD

MCLAUGHLIN
WASTE EQUIPMENT

is constantly improving the quality and design of its products. Alterations are sometimes made, so If any dimensions of capacities are critical, please check with the factory or your representative for updated specifications.



General Specifications

Charge Box Capacity (Mfg. Rating)	2 Cubic Yards
Industrial Rating	1.24 Cubic Yards
Clear Top Opening (L x W)	42 in long x 57.75 in wide
Capacity Per Hour	135 Cubic Yards

Performance Characteristics

Cycle Time	33 seconds
Total Normal Force	40,800 pounds
Total Maximum Force	52,100 pounds
Normal Ram Face Pressure	22.7 PSI
Maximum Ram Face Pressure	29.0 PSI
Ram Penetration	14 inches

Electrical Equipment

Electrical Motor, 3/60 – 208/230/460	10 HP
Electrical Control Voltage	120 VAC
UL Label Panel Box	
NEMA Type	
All Circuits Fused	
Standard Controls: Keylock Start, Stop, Forward/Reverse Selector Switch	

Hydraulic Equipment

Pump Capacity	10.5 GPM
Normal Pressure	1,800 PSI
Maximum Pressure	2,100 PSI
Hydraulic Cylinder Bore	4 inches
Rod	2 inches
Stoke	37 inches

Structural

Charge Box Slides	1/4 inch plate
Charge Box Floor	1/2 inch plate
Ram Face Plate	1/2 inch plate
Ram Bottom	1/2 inch plate
Ram Top	1/4 inch plate
Breaker Bar	6 in x 6 in x 1 in Angle plate

Container Understructure


Floor	7 gauge
Longsills	2 in x 6 in x 1/4 in Tubing
Container Sides	7 gauge
Container Door	10 gauge
Container Top	10 gauge

A HEAVY-DUTY MACHINE THAT EXERTS 60,000LBS. OF COMPACTING FORCE


SELF-CONTAINED COMPACTOR

ALL MODELS USE A 2 YARD HEAD

	A	B	C	D	E	F	G
MODEL 15	69"	156 ½"	67"	38"	48"	103 ½"	176"
MODEL 20	69"	184 ½"	67"	38"	48"	103 ½"	212"
MODEL 25	69"	215 ½"	67"	38"	48"	103 ½"	236"
MODEL 30	69"	246 ½"	67"	38"	48"	103 ½"	260"
MODEL 35	69"	276 ½"	67"	38"	48"	103 ½"	284"



FRONT VIEW



SIDE VIEW

McLaughlin Waste Equipment, Inc. (MWE), which was previously McLaughlin Refuse Equipment, has been manufacturing quality waste equipment since 1995. We pride ourselves in building the best quality equipment by not cutting corners, buying prime steel, top of the line buy-out parts and consistent product manufacturing. Our welders have experience, some with 30 years.

We have entered into an agreement with PRT to provide us with compactor heads. The floor and receiver we manufacture with the same quality that we are known for in our Roll Off and Container product lines.

We stand behind our product by providing a guarantee that if the customer is not happy, we will do whatever it takes to make it right.



Proud Member of The California Refuse Removal Council (CRRRC), Solid Waste Association of America (SWANA), and The Clara Mateo Garbage Association.

These containers meet or exceed ANSI Z245.3 container safety requirements, and carry a 2-Year Warranty.

Note: All specifications are subject to change without notice. Unless stated otherwise in writing, container sizes indicated are nominal sizes. Actual volume may vary from nominal sizes.